

# Galanz

**SPLIT AIR CONDITIONER | WALL MOUNTED TYPE**

**AUS-18H53R120C  
18.000 BTU INVERTER**

**COOLING CAPACITY 4.8 KW  
HEATING CAPACITY 5.2 KW  
HITACHI - ROTARY COMPRESSOR**



**Product information  
Technical specifications  
Energy label A+  
Remote Controller**


## GALANZ INVERTER AIR CONDITIONER – COOLING AND HEATING

GALANZ	12000 BTU INVERTER	18000 BTU INVERTER
Model	AUS-12H53R150P	AUS-18H53R120C
Power	220~240V / 1 Phase / 50Hz	220~240V / 1 Phase / 50Hz
Heating Capacity	3800 W	5200 W
Cooling Capacity	3550 W	4800 W
SCOP	3,80	3,95
SEER	6,62	6,0
Standard input power		
- Cool	1050 W	1600 W
- Heat pump	1050 W	1730 W
Max. Input consumption	2000 W	2400 W
Max. Current	10,5 A	10,65 A
Compressor type / brand	Rotary / Panasonic	Rotary / Hitachi
Energy Label Heating	A	A
Energy Label Cooling	A++	A+
Operation temperature range	-10~43 °C	-7~43 °C
Ambient temperature range	-15~48 °C	-15~48 °C
Application area	40-115 m <sup>3</sup>	80-170 m <sup>3</sup>
Waterproof class	IP20(INDOOR) IP24(OUTDOOR)	
Climate type	T1	


Indoor unit	AUS-12H53R150P	AUS-18H53R120C
Indoor air flow	500/450/380 m <sup>3</sup> /h	850/750/650/600 m <sup>3</sup> /h
Rated input power cooling/heating	20 W	50 W
Rated current (cooling/heating)	0,2 A	0,25 A
Moisture Removal	1.2 L/h	2.2 L/h
Sound power level	30-47 dB(A)	38-55 dB(A)
Net weight	11 kg	11 kg
Gross weight	12,5 kg	13
Unit dimension (WxHxD)	800x290x186 mm	860x293x203 mm
Packing (WxHxD)	855x355x255 mm	920x360x270 mm

Outdoor unit	AUS-12H53R150P	AUS-18H53R120C
Sound power level	32-59 dB(A)	47-64 dB(A)
Unit dimension (WxHxD)	745x552x328 mm	830x530x320 mm
Packing (WxHxD)	800x605x370 mm	910x620x380 mm
Net weight	30 kg	41 kg
Gross weight	33,5 kg	44,5 kg
Refrigerant type	R410A	R410A
Refrigerant charge	950 g	1200 g
Design pressure	4,1 MPa	4,1 MPa

## ENERGY LABEL AUS-18H53R120C



## GALANZ REMOTE CONTROLLER



### NOTICE:

- To operate, the distance should be within 6 meters from the indoor unit with a clear line of sight.
- Remove the batteries if the remote controller is not to be used for long periods of time.
- In this illustration, all displays are ON for the purpose of explanation. Some models may not show all these indications.
- Don't tear the batteries apart to throw them into fire, which will lead to irreparable damage.

## CONTACT INFORMATION

Thank you for choosing our Galanz Inverter Air Conditioner.  
Please read the OWNER'S MANUAL carefully prior to use and keep it for further reference.

# Galanz

### Address

Molenlei 2 j+k  
1921 CZ Akersloot  
The Netherlands (EU)

### Postal address

Boekel 31 c  
1921 CE Akersloot  
The Netherlands (EU)

### Contact

Phone +31 (0)72 5401001  
Fax +31 (0)72 5401002  
E-mail [info@snstrade.nl](mailto:info@snstrade.nl)  
Site [www.snstrade.nl](http://www.snstrade.nl)

Peter Smit - Sales  
Mobile + 31 (0)6 53701658

